

FRESNEL EROS 300w

Model 50-01




Location and Studio Fresnels offer style, durability, performance and efficiency. Ideal general purpose keylight and backlight for television studios and motion picture.

- Front and back focusing. Worm drive mechanism for focusing.
- Thermal shock resistant borosilicate fresnel lenses made in Germany
- New easy running barndoor ears
- Superior optical performance with specially designed reflectors
- Tubular steel yokes
- Safety screen
- Easy to service and maintain

PHOTOMETRIC DATA

With lamp CP81 300w 220v



- These equipments comply with all applicable European directives and safety standards



FRESNEL EROS 300w 50-01	
L	185mm. (7.28")
W	195mm. (7.68")
H	230mm. (9.06")
kg	2.7Kg. (5.9 Lbs.)
Box	240x250.x280mm. (9.45"x9.84"x11.02")

SUPPLIED WITH:

- 88 mm Fresnel lens
- 4-leaf rotating barndoor
- Color frame
- GY9.5 lampholder
- Safety grid
- In-line switch (additional)
- 2 m. Power supply cable

LAMPS

ANSI COD.	LIF COD.	BRAND CODE	W	V	SOCKET	LIFE HS	°K
FSL	CP81	CP81 Thorn	300	220	GY9.5	150	3200
FKW	CP81	FKWGE	300	120	GY9.5	150	3200

ACCESSORIES


Fresnel Eros 300w



STUDIO & LOCATION FRESNELS

FRESNEL VULCANO 650w

Model 50-02



Pole Operation 50-02 PO

Location and Studio Fresnels offer style, durability, performance and efficiency. Ideal general purpose keylight and backlight for television studios and motion picture.

- Pole operation versions available for tilt, pan and focus adjustment.
- Front and back focusing. Worm drive mechanism for focusing.
- Thermal shock resistant borosilicate fresnel lenses made in Germany.
- New easy running barndoor ears
- Superior optical performance with specially designed reflectors.
- Tubular steel yokes.
- Safety screen.
- Easy to service and maintain.

SUPPLIED WITH:

- 120 mm Fresnel lens
- 4-leaf rotating barndoor
- Color frame
- GY9.5 lampholder
- Safety grid
- In-line switch (additional)
- 2 m. Power supply cable
- PO yoke for PO version

LAMPS

ANSI COD.	LIF COD.	BRAND CODE	W	V	SOCKET	LIFE HS	°K
FRL	CP89	CP89 Thorn	650	220	GY9.5	150	3200
FRK	CP89	FRK GE	650	120	GY9.5	200	3200
FRH	CP82	CP82 Thorn	500	220	GY9.5	150	3200
FRG	CP82	FRG FE	500	120	GY9.5	150	3200



ACCESSORIES

Fresnel 650w



PHOTOMETRIC DATA

With lamp CP89 650w 220v



FRESNEL VULCANO 650w

L	210mm. (8.27")
W	215mm. (8.47")
H	280mm. (11.03")
Kg	3.7kg. (8.15 Lbs.)
	280x240x250mm. (11.02"x9.45"x9.84")

- These equipments comply with all applicable European directives and safety standards



STUDIO & LOCATION FRESNELS

FRESNEL OLYMPUS 1000w 150mm

Model 50-03




Pole Operation 50-03 PO

Location and Studio Fresnels offer style, durability, performance and efficiency. Ideal general purpose keylight and backlight for television studios and motion picture.

- Front and back focusing. Worm drive mechanism for focusing.
- Thermal shock resistant borosilicate fresnel lenses made in Germany
- New easy running barn door ears
- Superior optical performance with specially designed reflectors
- Tubular steel yokes
- Safety screen
- Easy to service and maintain

PHOTOMETRIC DATA

With lamp CP40/FKJ 1000W - 220v



FRESNEL OLYMPUS 1000w 50-03

L	323mm. (12.72")
W	293mm. (11.54")
H	448mm. (17.65")
kg	8Kg. (17.64 Lbs.)
	500x350x350mm. (19.69"x13.78"x13.78")

SUPPLIED WITH:

- 150 mm Fresnel lens
- 8-leaf rotating barn door
- Color frame
- G22 lampholder
- Safety grid
- In-line switch (additional)
- 2 m. Power supply cable

ACCESSORIES

Fresnel OLYMPUS 1000w



LAMPS							
ANSI COD.	LIF COD.	BRAND CODE	W	V	SOCKET	LIFE HS	°K
FKJ	CP40	64747 OSRAM	1000	220	G22	200	3200
FKJ	CP40	CP40	1000	220	G22	200	3200
EGT	CP40	EGT GE	1000	120	G22	250	3200
FKH	CP39	CP39	650	220	G22	150	3200
EGN		EGN GE	500	120	G22	150	3200

- These equipments comply with all applicable European directives and safety standards



STUDIO & LOCATION FRESNELS

FRESNEL ZEUS 1000w 175mm

Model 50-06



■ Pole Operated Version

Location and Studio Fresnels offer style, durability, performance and efficiency.

Ideal general purpose keylight and backlight for television studios and motion picture.

- Pole Operation versions available for tilt, pan and focus adjustment.
- Front and back focusing. Worm drive mechanism for focusing.
- Thermal shock resistant borosilicate fresnel lenses made in Germany
- New easy running barndoor ears.
- Superior optical performance with specially designed reflectors.
- Tubular steel yokes.
- Safety screen.
- Easy to service and maintain.

STUDIO & LOCATION FRESNELS

FRESNEL ZEUS 1000w 175mm

Model 50-06




FRESNEL ZEUS 1000 175w	
L	355mm. (14")
W	360mm. (14.2")
H	520mm. (20.5")
	9kg. (22 Lbs.)
	460x460x500mm. (18.11"x18.11"x19.69")

SUPPLIED WITH:	
- 175 mm Fresnel lens	- Safety grid
- 8-leaf rotating barndoor	- 2 m. Power supply cable
- Color frame	- PO Yoke for Pole Operation version
- G22 lampholder	

ACCESSORIES	
Fresnel ZEUS 1000w	
	40-13
	40-48
	31-01
	45-42
	00-54

- These equipments comply with all applicable European directives and safety standards



LAMPS							
ANSI COD.	LIF COD.	BRAND CODE	W	V	SOCKET	LIFE HS	°K
FKJ	CP40	64747 OSRAM	1000	220	G22	200	3200
	CP93	64756 OSRAM	1200	230	G22	200	3200
EGT	CP40	EGT GE	1000	120	G22	250	3200
FKH	CP39	CP39	650	220	G22	150	3200
EGN		EGN GE	500	120	G22	150	3200

STUDIO & LOCATION FRESNELS

FRESNEL JUNO 2000W 250mm

Model 50-04




Pole Operation 50-04 PO

Location and Studio Fresnels offer style, durability, performance and efficiency. Ideal general purpose keylight and backlight for television studios and motion picture.

- Pole Operation versions available for tilt, pan and focus adjustment
- Front and back focusing. Worm drive mechanism for focusing.
- Thermal shock resistant borosilicate fresnel lenses made in Germany.
- New easy running barndoor ears
- Superior optical performance with specially designed reflectors.
- Tubular steel yokes.
- Safety screen
- Easy to service and maintain


PHOTOMETRIC DATA

With lamp CP41/FKK 2000w 220v



LAMPS

ANSI COD.	LIF COD.	BRAND CODE	W	V	SOCKET	LIFE HS	°K
FKK	CP41	CP41 (GE)	2000	220	G38	400	3200
FKK	CP41	64789 OSRAM	2000	220	G38	400	3200
CYX		CYX GE	2000	120	G38	400	3200
	CP94	64789 OSRAM	2500	230	G38	400	3200



FRESNEL JUNO 2000w 50-04

L	370mm. (14.5")
W	400mm. (15.7")
H	490mm. (19.3")
	13Kg. (28.66 Lbs.)
	500x500x550mm. (19.69"x19.69"x21.65")

SUPPLIED WITH:

- 250 mm Fresnel lens
- 8-leaf rotating barndoor
- Color frame
- G38 lampholder
- Safety grid
- 2 m. Power supply cable
- PO Yoke for Polo Operation version

- These equipments comply with all applicable European directives and safety standards



ACCESSORIES


Fresnel Juno 2000w



STUDIO & LOCATION FRESNELS

FRESNEL FEBO 2000w 175mm


Model 50-07



Pole Operation 50-07 PO

PHOTOMETRIC DATA

With lamp CYX 2000w - 120v



LAMPS

ANSI COD.	LIF COD.	BRAND CODE	W	V	SOCKET	LIFE HS	°K
FKK	CP41	CP41	2000	220	G38	400	3200
FKK	CP41	64789 OSRAM	2000	220	G38	400	3200
CYX		CYX GE	2000	120	G38	400	3200

SUPPLIED WITH:

- 175mm Fresnel lens
- 8-leaf rotating barndoor
- Color frame
- G38 lampholder
- Safety grid
- 2 m. Power supply cable
- PO Yoke for Pole Operation version

ACCESSORIES


Fresnel OLYMPUS 1000w



Location and Studio Fresnels offer style, durability, performance and efficiency.

Ideal general purpose keylight and backlight for television studios and motion picture.

- Pole Operation versions available for tilt, pan and focus adjustment.
- Front and back focusing. Worm drive mechanism for focusing.
- Thermal shock resistant borosilicate fresnel lenses made in Germany
- New easy running barndoor ears.
- Superior optical performance with specially designed reflectors.
- Tubular steel yokes.
- Safety screen.
- Easy to service and maintain.



FRESNEL FEBO 2000 175w

L	355mm. (14")
W	360mm. (14.2")
H	555mm. (21.9")
KS	10kg. (24.3 Lbs.)
	380x380x580mm. (15"x15"x23")

- These equipments comply with all applicable European directives and safety standards



FRESNEL 650W 3-Head Kits Model Kit F-650

- 3 Fresnel Vulcano 650W Heads Mod 50-02 w/in-line switch, barndoor & c. f.
- 3 Mini compact lighting stands Mod 052B
- 3 Adapter cube to stands Mod 00-56
- 3 Lamps CP89 650W 230V
- 1 Soft Case 0.75x0.42x0.40m made in Nylon cordura

FRESNEL 650W & MINILUZ 1000W 4-Head Kits Model Kit650/1000

- 2 Fresnel Vulcano 650W Heads Mod 50-02 w/in-line switch, barndoor & color frame
- 2 Miniluz 1000W Heads Mod 53-03 w/in-line switch and barndoor
- 4 Mini compact lighting stands Mod 052B
- 4 Adapter cube to stands Mod 00-56
- 2 Lamps CP89 650W 230V
- 2 Lamps FDG 1000W 230V
- 1 Soft Case 0.75x0.42x0.40m made in Nylon cordura



Kit F-650



FRESNEL 650W/SOFTBOX 3-Head Kits +

1 SoftBox Model Kit F-650/SF

- 3 Fresnel Vulcano 650w Heads Mod. 50-02 w/in line switch, barndoor & color frame.
- 1 Softbox and mounting ring adapter Mod. FV-SD1S Photoflex
- 3 Mini compact lighting stand Mod. 052B
- 3 Mounting adapter for stand
- 3 Lamps CP89 650w 230v
- 1 Soft case 0.75x0.42x0.40m. made in Nylon cordura



ULTRALIGHT 1000W/SOFTBOX 3-Head Kits +

1 SoftBox Model Kit U-1000/SF

- 3 Ultralight 1000w Heads Mod. 53-11w/in line switch, barndoor & color frame.
- 1 Softbox and mounting ring adapter Mod. FV-SD2M Photoflex
- 3 Mini compact lighting stand Mod. 052B
- 3 Mounting adapter for stand
- 3 Lamps P2/35 1000w 230v
- 1 Soft case 0.75x0.42x0.40m. made in Nylon cordura

PORTABLE LIGHTING KITS

PORTABLE

PORTABLE LIGHTING KITS

PORTABLE LIGHTING KITS

FRESNEL 300W 3-Head Kits Model Kit300

- 3 Fresnel Eros 300W Heads Mod 50-01 w/in-line switch, barndoor & color frame
- 3 Mini compact lighting stands Mod 052
- 3 Adapter cube to stands Mod 00-56
- 3 Lamps CP81 300W 230V
- 1 Soft Case 0.75x0.42x0.40 m made in Nylon Cord



Kit 300

FRESNEL 650W 3-Head Kits Model Kit650

- 3 Fresnel Vulcano 650W Heads Mod 50-02 w/in-line switch, barndoor & c. f.
- 3 Mini compact lighting stands Mod 052
- 3 Adapter cube to stands Mod 00-56
- 3 Lamps CP89 650W 230V
- 1 Soft Case 0.75x0.42x0.40 m made in Nylon Cord



Kit 650

FRESNEL 650W & MINILUZ 1000W 4-Head Kits Model Kit650/1000

- 2 Fresnel Vulcano 650W Heads Mod 50-02 w/in-line switch, barndoor & color frame
- 2 Miniluz 1000W Heads Mod 53-03 w/in-line switch and barndoor
- 4 Mini compact lighting stands Mod 052
- 4 Adapter cube to stands Mod 00-56
- 2 Lamps CP89 650W 230V
- 2 Lamps FDG 1000W 230V
- 1 Soft Case 0.75x0.42x0.40 m made in Nylon Cord



Kit 1000

ULTRALIGHT 800W 3-Head Kits Model Kit800

- 3 Ultralight 800W Heads Mod 53-11 w/in-line switch, and barndoor.
- 3 Mini compact lighting stands Mod 052
- 3 Adapter cube to stands Mod 00-56
- 3 Lamps DXX 800W 230V
- 1 Soft Case 0.75x0.42x0.40 m made in Nylon Cord



Kit 2000

ULTRALIGHT 1000W 3-Head Kits Model Kit1000

- 3 Ultralight 1000W Heads Mod 53-11 w/in-line switch, barndoor & color frame
- 3 Mini compact lighting stands Mod 052
- 3 Adapter cube to stands Mod 00-56
- 3 Lamps P2/35 1000W 230V
- 1 Soft Case 0.75x0.42x0.40 m made in Nylon Cord

ULTRALIGHT 2000W 2-Head Kits Model Kit2000

- 2 Ultralights 2000W Heads Mod 53-16 w/ and barndoor.
- 2 Mini compact lighting stands Mod 052
- 2 Adapter cube to stands Mod 00-56
- 2 Lamps FEX 2000W 230V
- 1 Soft Case 0.75x0.42x0.40 m made in Nylon Cord

POWER FLO KITS

- PFK-2/55 1(one) Head Power Flo 2 lamps 55w
- PFK-4/55 1(one) Head Power Flo 4 lamps 55w
- PFK-2/40 1(one) Head Power Flo 2 lamps 40w
- PFK-4/40 1(one) Head Power Flo 4 lamps 40w

KIT PFK-2/55



KIT PFK-4/55



Accessories